

MATERIAL SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION:

PRODUCT CODE N0121

PRODUCT NAME NAT. PHENOL

SUPPLIER Shanghai M & U International Trade Co., Ltd.

Rm 1717, No 598 North NuJiang Road

200333 Shanghai, China +86-21-32515501 32515502

sales@mu-intel.com

FOR EMERGENCIES CALL CHEMTREC: 800-424-9300 (24-HOURS)

2. HAZARD IDENTIFICATION:

SEE BELOW

3. COMPOSITION AND INFORMATION ON INGREDIENTS:

Molecular Formula: C6 H6 O Molecular Weight: 94.11

CAS#: 108-95-2 FEMA#: 3223

4. FIRST-AID GUIDE:

Eyes: IMMEDIATELY FLUSH EYES WITH LARGE QUANTITIES OF COLD CLEAN

WATER FOR AT LEAST 15 MINUTES. CALL A PHYSICIAN IMMEDIATELY.

Skin: WASH WITH SOAP AND WATER. FLUSH WITH LARGE QUANTITIES OF WATER.

IF IRRITATION PERSISTS CALL A PHYSICIAN.

Inhalation: REMOVE TO FRESH AIR AND CALL A PHYSICIAN IF NECESSARY.

Ingestion: ADMINISTER WATER OR MILK TO DILUTE. CONTACT A PHYSICIAN OR LOCAL POISON CONTROL CENTER IMMEDIATELY. **DO NOT** INDUCE VOMITING.

5. FIRE-FIGHTING GUIDE:

Flash Point (°F): 174 Method Used: CC L.F.L: 1.7% U.F.L: 8.6%

Extinguishing Media: Carbon Dioxide; Dry Chemical; Universal Type Foam

Special Fire Fighting Procedures: Evacuate unprotected and untrained personnel. Trained firefighting personnel should be equipped with self-contained breathing apparatus and full protective gear.

Unusual Fire, Explosion and Stability Hazards: EMITS TOXIC FUMES UNDER FIRE CONDITIONS.

6. ACCIDENTAL RELEASE GUIDE:

REMOVE ANY SOURCES OF FLAME OR SPARKS. IF IN A CONFINED AREA NIOSH APPROVED RESPIRATORY PROTECTION MAY BE REQUIRED. ABSORB SPILLS ON VERMICULITE OR OTHER SUITABLE ABSORBENT MATERIAL AND REMOVE TO AN APPROVED DISPOSAL CONTAINER. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

7. HANDLING AND STORAGE:

IT IS RECOMMENDED THAT THIS MATERIAL BE STORED IN TIGHT FULL CONTAINERS IN A COOL, DRY PLACE AWAY FROM LIGHT. CONSULT STORAGE SHEET FOR FULL DETAILS

8. EXPOSURE AND PERSONAL PROTECTION:

Eyes: IN GENERAL, THE USE OF SAFETY GLASSES IS RECOMMENDED. IF THE MATERIAL IS TO BE HANDLED IN A MANNER WHERE SPLASHING MAY OCCUR, THE USE OF SPLASH GOGGLES OR FACE SHIELD IS RECOMMEND.

Respiratory: IN WELL VENTILATED AREAS RESPIRATORY PROTECTION IS NOT NORMALLY REQUIRED. IN CONFINED, POORLY VENTILATED AREAS THE USE OF NIOSH-APPROVED RESPIRATORY PROTECTION MAYBE REQUIRED OR IF MATERIAL IS RATED TOXIC BY INHALATION.

Equipment and Apparel: THE USE OF CHEMICAL RESISTANT GLOVES IS RECOMMENDED. ACCEPTABLE INDUSTRIAL HYGIENE PRACTICES SHOULD BE MAINTAINED. LIMIT EXPOSURE TO PRODUCT WHENEVER POSSIBLE. WASH AFTER ANY CONTACT. THOROUGHLY WASH ANY CONTAMINATED CLOTHING OR SHOES. **Ventilation:** VENTILATION MEETING ACGIH STANDARDS SHOULD BE EMPLOYED

9. PHYSICAL AND CHEMICAL PROPERTIES:

Physical State: SOLID Odor: MEDICINAL

Color: WHITE Vapor Density (Air = 1): 3.24

Solubility in Water: INSOLUBLE Melting Point (°C): 43

Boiling Point (°C): 182 Specific Gravity @ 25C (H20=1.0): 1.057

Vapor Pressure (mmHg@20°C): 0.35 Refractive Index @ 20C: N/A

10. STABILITY AND REACTIVITY:

This material presents no significant hazard. Hazardous Polymerization will not occur and it will not react violently with water.

Contact with highly reactive chemical oxidants should be avoided. If burned this product will produce carbon monoxide and/or carbon dioxide.

11. TOXICOLOGICAL INFORMATION:

Carcinogenicity:

NTP: NO OSHA: NO IARC MONOGRAPH: NO

OSHA PEL: 5 PPM(TWA)SKIN ACGIH TLV: 5 PPM(TWA)SKIN

Acute Toxicity Data:

ORAL LD50: 317 mg / kg RAT

DERMAL LD50: 630 mg/kg RABBIT INHALATION LC50: 316 mg/m3 RAT **Health Hazards (Acute and Chronic): Skin Contact:** MAY CAUSE IRRITATION

Inhalation: NOT ESTABLISHED

Eye Contact: MAY CAUSE IRRITATION

Ingestion: NOT ESTABLISHED

Other Effects:

MATERIAL IS CORROSIVE TO SKIN AND EYES. THE AMOUNT OF TISSUE DAMAGE DEPENDS ON THE LENGTH OF CONTACT. EYE CONTACT CAN RESULT IN CORNEAL DAMAGE OR BLINDNESS. SKIN CONTACT CAN PROUCE INFLAMMATION AND BLISTERING. INHALATIONS OF DUST WILL PRODUCE IRRITATION TO GASTROINTESTINAL OR RESPITORY TRACT, CHARACTERIZED BY BURNING, SNEEZING, AND COUGHING. SEVERE OVER-EXPOSER CAN PRODUCE LUNG DAMAGE, CHOKING, UNCONSCIOUSNESS OR DEATH.

The health hazard information is based on laboratory animal test data for the individual components of this product in their pure form as provided under 29 CFR 1910.1200 (d)(5)(ii). The user should consider the relevancy of this information in a manner consistent with its particular purpose.

12. DISPOSAL RECOMMENDATIONS:

REMOVE ANY SOURCES OF FLAME OR SPARKS. IF IN A CONFINED AREA NIOSH APPROVED RESPIRATORY PROTECTION MAY BE REQUIRED. ABSORB SPILLS ON VERMICULITE OR OTHER SUITABLE ABSORBENT MATERIAL AND REMOVE TO AN APPROVED DISPOSAL CONTAINER. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

13. TRANSPORTATION INFORMATION:

DOT PHENOL SOLID 6.1, UN1671, PG II IMDG (OCEAN) PHENOL SOLID 6.1, UN1671, PG II IATA (AIR) PHENOL SOLID 6.1, UN1671, PG II

14. REGULATORY INFORMATION:

US FEDERAL

HMIS III: PHYSICAL HAZARD: 2

HEALTH: 2 FLAMMABILITY: 2 REACTIVITY: 0 PERSONAL PROTECTION: X TSCA

CAS# 108-95-2 IS LISTED ON THE TSCA INVENTORY.

HEALTH & SAFETY REPORTING LIST

CAS# 108-95-2: EFFECTIVE 6/1/87, SUNSET 6/1/97

CHEMICAL TEST RULES

NONE OF THE CHEMICALS IN THIS PRODUCT ARE UNDER A CHEMICAL TEST RULE.

SECTION 12B

NONE OF THE CHEMICALS ARE LISTED UNDER TSCA SECTION 12B.

TSCA SIGNIFICANT NEW USE RULE

NONE OF THE CHEMICALS IN THIS MATERIAL HAVE A SNUR UNDER TSCA.

CERCLA HAZARDOUS SUBSTANCES AND CORRESPONDING RQS

CAS# 108-95-2: 1000 LB FINAL RQ; 454 KG FINAL RQ

SARA SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES

CAS# 108-95-2: 500 LB LOWER THRESHOLD TPQ; 10000 LB UPPER THRESHOLD TPQ SARA CODES

CAS # 108-95-2: IMMEDIATE, DELAYED, FIRE.

SECTION 313

THIS MATERIAL CONTAINS PHENOL (CAS# 108-95-2, 99.0%), WHICH IS SUBJECT TO THE

REPORTING REQUIREMENTS OF SECTION 313 OF SARA TITLE III AND 40 CFR PART 373.

CLEAN AIR ACT:

CAS# 108-95-2 IS LISTED AS A HAZARDOUS AIR POLLUTANT (HAP).

THIS MATERIAL DOES NOT CONTAIN ANY CLASS 1 OZONE DEPLETORS.

THIS MATERIAL DOES NOT CONTAIN ANY CLASS 2 OZONE DEPLETORS.

CLEAN WATER ACT:

CAS# 108-95-2 IS LISTED AS A HAZARDOUS SUBSTANCE UNDER THE CWA. CAS# 108-

95-2 IS LISTED AS A PRIORITY POLLUTANT UNDER THE CLEAN WATER ACT. CAS# 108-

95-2 IS LISTED AS A TOXIC POLLUTANT UNDER THE CLEAN WATER ACT.

OSHA:

NONE OF THE CHEMICALS IN THIS PRODUCT ARE CONSIDERED HIGHLY HAZARDOUS

BY OSHA.

STATE

CAS# 108-95-2 CAN BE FOUND ON THE FOLLOWING STATE RIGHT TO KNOW LISTS: CALIFORNIA. NEW JERSEY, PENNSYLVANIA, MINNESOTA, MASSACHUSETTS.

CALIFORNIA PROP 65

CALIFORNIA NO SIGNIFICANT RISK LEVEL: NONE OF THE CHEMICALS IN THIS PRODUCT

ARE LISTED.

EUROPEAN/INTERNATIONAL REGULATIONS

EUROPEAN LABELING IN ACCORDANCE WITH EC DIRECTIVES

HAZARD SYMBOLS: T

RISK PHRASES:

R 23/24/25 TOXIC BY INHALATION, IN CONTACT WITH SKIN AND IF SWALLOWED.

R 34 CAUSES BURNS.

R 48/20/21/22 HARMFUL: DANGER OF SERIOUS DAMAGE TO HEALTH BY

PROLONGED EXPOSURE THROUGH INHALATION, IN CONTACT WITH SKIN AND IF SWALLOWED.

R 68 POSSIBLE RISK OF IRREVERSIBLE EFFECTS.

SAFETY PHRASES:

S 24/25 AVOID CONTACT WITH SKIN AND EYES.

S 26 IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE.

S 28 AFTER CONTACT WITH SKIN, WASH IMMEDIATELY WITH...

S 36/37/39 WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES AND EYE/FACE PROTECTION.

S 45 IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE).

WGK (WATER DANGER/PROTECTION)

CAS# 108-95-2: 2

CANADA - DSL/NDSL

CAS# 108-95-2 IS LISTED ON CANADA'S DSL LIST.

CANADA - WHMIS

THIS PRODUCT HAS A WHMIS CLASSIFICATION OF D1A, E, B3.

THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA

OF THE CONTROLLED PRODUCTS REGULATIONS AND THE MSDS CONTAINS ALL OF THE

INFORMATION REQUIRED BY THOSE REGULATIONS.

CANADIAN INGREDIENT DISCLOSURE LIST

CAS# 108-95-2 IS LISTED ON THE CANADIAN INGREDIENT DISCLOSURE LIST.

15. OTHER INFORMATION:

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond M&U's control, it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability for loss, damage, or expense arising out of the products improper use. No warranty expressed or implied regarding the product described herein will be created by or inferred from any statement or omission in the MSDS. Various federal, state, or provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in the MSDS. The user should review these regulations to ensure full compliance.

Material Safety Data Sheet prepared by: M & U International LLC