

# **MATERIAL SAFETY DATA SHEET**

# **1. PRODUCT AND COMPANY IDENTIFICATION:**

**PRODUCT CODE** 

**PRODUCT NAME** 

**SUPPLIER** 

Shanghai M & U International Trade Co., Ltd. Rm 1717, No 598 North NuJiang Road 200333 Shanghai, China +86-21-32515501 32515502 sales@mu-intel.com

FOR EMERGENCIES CALL CHEMTREC:

800-424-9300 (24-HOURS)

# 2. HAZARD IDENTIFICATION:

<b>Emergency Overvie</b>	W			
<b>OSHA Hazards</b>				
Flammable liquid, Ha	armful by ingestion, Skin sensitizer, Irritant.			
<b>GHS</b> Classification				
Flammable liquids (C	Category 3)			
Acute toxicity, Oral (Category 4)				
Skin irritation, Oral (Category 2)				
Serious eye damage (Category 1)				
Skin sensitization (Category 1)				
Specific target organ toxicity- single exposure (Category 3)				
GHS Label elements, including precautionary statements				
Pictogram				
Signal word	Danger			
Hazard statement(s				
H226	Flammable liquid and vapor.			
H302	Harmful if swallowed.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H318	Causes serious eye damage.			
H335	May cause respiratory irritation.			
Precautionary statement(s)				
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.			
P280	Wear protective gloves/eye protection/face protection.			
P305 P351 P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove			
	contact lenses, if present and easy to do. Continue rinsing.			
HMIS Classification	1			
Health hazard	2			

A0319

3-METHYL-2-BUTENAL

Flammability	3			
Physical hazards	1			
NFPA Rating				
Health hazard	2			
Fire	3			
Reactivity Hazard	0			
Potential Health Effects				
Inhalation	May be harmful if inhaled. Causes respiratory tract irritation.			
Skin	May be harmful if absorbed through skin. Causes skin irritation			
Eyes	Causes eye irritation.			
Ingestion	Toxic if swallowed.			

# 3. COMPOSITION AND INFORMATION ON INGREDIENTS:

Synonym Formula	3-Methylcrotonaldehyde 3,3-Dimethylacrolein C5 H8 O		
Molecular Weight	84.12 g/mol		
CAS-No 107-86-8	EC-No 203-527-6	Index-No.	Concentration

# 4. FIRST-AID GUIDE:

# General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 5. FIRE-FIGHTING GUIDE:

# Suitable extinguishing media

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

# Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.
Hazardous combustion products
Hazardous decomposition products formed under fire conditions. - Carbon oxides
Further information
Use water spray to cool unopened containers.

# 6. ACCIDENTAL RELEASE GUIDE:

#### **Personal precautions**

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

#### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations.

# 7. HANDLING AND STORAGE:

#### **Precautions for safe handling**

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition- No smoking. Take measures to prevent the buildup electrostatic charge.

#### **Conditions for safe storage**

Store in cool place. Keep container tightly closed in a dry and well- ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Recommended store temperature: 2-8 C

Store under inert gas. Air sensitive.

# 8. EXPOSURE AND PERSONAL PROTECTION:

Contains no substances with occupational exposure limit values.

#### **Personal protective equipment:**

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

# Eye protection

Tightly fitting safety goggles. Faceshield (8-ich minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

#### Skin and body protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# 9. PHYSICAL AND CHEMICAL PROPERTIES:

#### Appearance

Form Color LIQUID COLORLESS TO PALE YELLOW (Turns dark upon exposure to light and air)

#### Safety data

Melting point (°C) Boiling point (°C) Flash point (°F) Closed cup Vapor pressure (mmHg@20°C) Density @25 °C Water solubility Relative vapor density Odor no data available 133 93 no data available 0.872 no data available no data available CHARACTERISTIC

# **10. STABILITY AND REACTIVITY:**

Chemical stabilityStable under recommended storage conditions.Possibility of hazardous reactionsVapors may form explosive mixture with air.Conditions to avoidAir, Heat, flames and sparks.Materials to avoidStrong oxidizing agents, Strong bases.Hazardous decomposition productsHazardous decomposition products formed under fire conditions. - Carbon oxides

# **11. TOXICOLOGICAL INFORMATION:**

**Respiratory or skin sensitization** May cause allergic skin reaction. **Carcinogenicity** IARC: No component of this product present at levels greater than or equal to 0.1% is identified as Probable, possible or confirmed human carcinogen by IARC. ACGIH:

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

# NTP:

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

# OSHA:

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

# **Potential health effects**

Inhalation	May be harmful if inhaled. Causes respiratory tract irritation.
Ingestion	Toxic if swallowed.
Skin	May be harmful if absorbed through skin. Causes skin irritation.
Eyes	Causes eye irritation.

# Signs and Symptoms of Exposure

Nausea, Headache, Vomiting, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### **Additional Information**

RTECS: Not Available

# **12. DISPOSAL RECOMMENDATIONS:**

# Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

# **Contaminated packaging**

Dispose of as unused product.

# **13. TRANSPORTATION INFORMATION:**

# DOT (US)

UN number: 1989 Class:3 Packing group: III Proper shipping name: Aldehydes,n.o.s. Marine pollutant: No Poison Inhalation Hazard: No **IMDG** UN number: 1989 Class: 3 Packing group: III EMS-No: F-E, S-D Proper shipping name: ALDEHYDES, N.O.S Marine pollutant: No **IATA** UN number: 1989 Class: 3 Packing group: III Proper shipping name: Aldehydes, n.o.s

# **14. REGULATORY INFORMATION:**

# **OSHA Hazards**

Flammable liquid, Harmful by ingestion, Skin sensitizer, Irritant.

# SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

# SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard.

# Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

### Pennsylvania Right To Know Components

3-Methyl-2-butenal	CAS-No.	<b>Revision Date</b>
-	107-86-8	

# New Jersey Right To Know Components

3-Methyl-2-butenal CAS-No. Revision Date 107-86-8

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# **15. OTHER INFORMATION:**

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond M&U's control, it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability for loss, damage, or expense arising out of the products improper use. No warranty expressed or implied regarding the product described herein will be created by or inferred from any statement or omission in the MSDS. Various federal, state, or provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in the MSDS. The user should review these regulations to ensure full compliance.