

# SAFETY DATA SHEET

# 1. PRODUCT AND COMPANY IDENTIFICATION:

PRODUCT CODE A0059

**PRODUCT NAME** ETHYL-2-METHYLPENTANOATE(MANZANATE)

**SUPPLIER** Shanghai M & U International Trade Co., Ltd.

Rm 1717, No 598 North NuJiang Road

200333 Shanghai, China +86-21-32515501 32515502

sales@mu-intel.com

FOR EMERGENCIES CALL CHEMTREC: 800-424-9300 (24-HOURS)

## 2. HAZARD IDENTIFICATION:

Physical hazards Flammable liquids Category 3

Health hazards Skin corrosion/irritation Category 3

**Environmental hazards** Not classified.

**Label elements** 



# Signal word

Warning

**Hazard statement** 

H226 Flammable liquid and vapor. H316 Causes mild skin irritation.

**Precautionary statement** 

Prevention

P210 Keep away from heat/sparks/open flames/hot surfaces. No

smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting

equipment.

P242	Use only non-sparking tools.
1 2 1 2	obe only non spanning tools.

P243	Take precautionary measures against static discharge.
P280	Wear protective gloves/eye protection/face protection.

# Response

P303 + P361 +

P353 IF ON SKIN (or hair): Take off immediately all

> contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

P332 + P313P370 + P378In case of fire: Use appropriate media to extinguish.

Storage

P403 + P235Store in a well-ventilated place. Keep cool.

**Disposal** 

P501 Dispose of contents/container in accordance with

local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC) None known.

Supplemental information None.

# 3. COMPOSITION AND INFORMATION ON INGREDIENTS:

#### **Substances**

Chemical name	Common name and synonyms	CAS number	%
Ethyl 2-methylvalerate	Pentanoic acid, 2-methyl-, ethyl ester	39255-32-8	100
	ETHYL 2-METHYLPENTANOATE		

# 4. FIRST-AID GUIDE:

## Inhalation

If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.

## **Skin contact**

Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes.

## **Eve contact**

Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids.

# **Ingestion**

Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.

# Most important symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation. Mild skin irritation.

# **Indication of immediate medical attention and special treatment needed**Not available.

### General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

#### 5. FIRE-FIGHTING GUIDE:

## Suitable extinguishing media

Water spray, fog, CO2, dry chemical, or alcohol resistant foam.

# Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

# Specific hazards arising from the chemical

Fire may produce irritating, corrosive and/or toxic gases.

# Special protective equipment and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighter's protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full face piece operated in the positive pressure demand mode when fighting fires.

# Firefighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.

# **Specific methods**

Use water spray to cool unopened containers.

#### General fire hazards

Static charges generated by emptying package in or near flammable vapor may cause flash fire.

## 6. ACCIDENTAL RELEASE GUIDE:

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.

# Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

The product is immiscible with water and will spread on the water surface.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Prevent product from entering drains. Do not allow material to contaminate ground water system. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Collect and dispose of spillage as indicated in section 13 of the SDS.

# **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid release to the environment. Retain and dispose of contaminated wash water. Contact local authorities in case of spillage to drain/aquatic environment.

#### 7. HANDLING AND STORAGE:

## **Precautions for safe handling**

Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.

# Conditions for safe storage, including any incompatibilities

Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.

## 8. EXPOSURE AND PERSONAL PROTECTION:

## Occupational exposure limits

No exposure limits noted for ingredient(s).

# **Biological limit values**

No biological exposure limits noted for the ingredient(s).

## **Appropriate engineering controls**

Use explosion-proof ventilation equipment to stay below exposure limits.

# Individual protection measures, such as personal protective equipment Eye/face protection

Wear safety glasses with side shields (or goggles).

# Skin protection Hand protection

Chemical resistant gloves.

### Other

Not available.

# **Respiratory protection**

Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must be provided.

# Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

# **General hygiene considerations**

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. PHYSICAL AND CHEMICAL PROPERTIES:

Appearance	Refer to Spec Sheet
Physical state	Liquid.
Form	Liquid.
Color	Refer to Spec Sheet
Odor	Characteristic.
Odor threshold	Not available.
pН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	305.6 - 307.4 °F (152 - 153 °C)
Flash point	127.0 °F (52.8 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower(%)	Not available.
Flammability limit - upper(%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	1.5 mm Hg at 20 °C
Vapor density	5

Relative density	Not available.
iciative delisity	Tiot available.

Solubility(ies)

Solubility (water)InsolublePartition coefficient(n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Flammability class Combustible II estimated

Molecular formulaC8H16O2Molecular weight144.21 g/molSpecific gravity0.87 at 25 °C

## 10. STABILITY AND REACTIVITY:

## Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

# **Chemical stability**

Material is stable under normal conditions.

## Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

## **Conditions to avoid**

Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.

# **Incompatible materials**

Strong oxidizing agents.

# **Hazardous decomposition products**

No hazardous decomposition products if stored and handled as indicated.

### 11. TOXICOLOGICAL INFORMATION:

## **Information on likely routes of exposure**

#### Inhalation

No adverse effects due to inhalation are expected.

### **Skin contact**

Causes mild skin irritation.

## Eye contact

Direct contact with eyes may cause temporary irritation. Causes mild eye irritation.

# **Ingestion**

Expected to be a low ingestion hazard.

# Symptoms related to the physical, chemical and toxicological characteristics

Mild skin irritation.

# Information on toxicological effects

**Acute toxicity** 

Product	Species	Test Results
ETHYL 2-METHYLPENTANOATE (CAS 39255-32-8)		
Acute		
Oral		
LD50	Rat	>5000 mg/kg

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

## Skin corrosion/irritation

Causes mild skin irritation.

# Serious eye damage/eye irritation

Direct contact with eyes may cause temporary irritation.

# Respiratory or skin sensitization

# **Respiratory sensitization**

Not a respiratory sensitizer.

#### Skin sensitization

This product is not expected to cause skin sensitization.

# Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

# Carcinogenicity

# OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

# Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

# Specific target organ toxicity - single exposure

Not classified.

# Specific target organ toxicity repeated exposure

Not classified.

## **Aspiration hazard**

Not an aspiration hazard.

## 12. ECOLOGICAL INFORMATION:

## **Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

# Persistence and degradability

No data is available on the degradability of this product.

# **Bioaccumulative potential**

No data available.

## Mobility in soil

No data available.

#### Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### 13. DISPOSAL RECOMMENDATIONS:

## **Disposal instructions**

Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

## **Local disposal regulations**

Dispose in accordance with all applicable regulations.

### Hazardous waste code

Not established.

# Waste from residues / unused products

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

## **Contaminated packaging**

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## 14. TRANSPORTATION INFORMATION:

ADM	1	
ADN	2272	
UN number	3272	
UN proper shipping name	ESTERS, N.O.S. (ETHYL 2-	
Tuengneut hereard elega(eg)	METHYLPENTANOATE)	
Transport hazard class(es)	3	
Subsidiary class(es)	- III	
Packing group Environmental hazards	Yes	
Labels required	3	
ADR	3	
UN number	3272	
UN proper shipping name	ESTERS, N.O.S. (ETHYL 2-	
on proper simpping name	METHYLPENTANOATE)	
Transport hazard class(es)	3	
Subsidiary class(es)	-	
Packing group	III	
Environmental hazards	Yes	
Tunnel restriction code	D/E	
Labels required	3	
Special precautions for user	Read safety instructions, SDS and	
Special precautions for user	emergency procedures before handling.	
RID	emergency procedures serore manamig.	
UN number	3272	
UN proper shipping name	ESTERS, N.O.S. (ETHYL 2-	
CIV PI OP OI SIMPPING INMIN	METHYLPENTANOATE)	
Transport hazard class(es)	3	
Subsidiary class(es)		
Packing group	III	
Environmental hazards	Yes	
Labels required	3	
DOT		
BULK		
UN number	3272	
Proper shipping name	ESTERS, N.O.S. (ETHYL 2-	
	METHYLPENTANOATE)	
Hazard class	3	
Packing group	III	
Environmental hazards	- 10	
Marine pollutant	Yes	
Special precautions	Read safety instructions, SDS and	
	emergency procedures before handling.	
Special provisions	B1, IB3, T4, TP1, TP29	
Packaging exceptions	150	
Packaging non bulk	203	
Packaging bulk	242	

DOT	
NON-BULK	Not regulated as dangerous goods.
IATA	
UN number	3272
UN proper shipping name	ESTERS, N.O.S. (ETHYL 2-
	METHYLPENTANOATE)
Transport hazard class(es)	3
Subsidiary class(es)	-
Packing group	III
<b>Environmental hazards</b>	Not available.
Labels required	3
ERG code	3L
Special precautions for user	Read safety instructions, SDS and
	emergency procedures before handling.
MDG	3 , r
UN number	3272
UN proper shipping name	ESTERS, N.O.S. (ETHYL 2-
or, propor surppung name	METHYLPENTANOATE)
Transport hazard class(es)	3
Subsidiary class(es)	
Packing group	III
Environmental hazards	
Marine pollutant	Yes
Labels required	3
EmS	F-E, S-D
Special precautions for user	Read safety instructions, SDS and
Special precautions for user	emergency procedures before handling.
Transport in bulk according to Annex II	emergency procedures before hundring.
of MARPOL 73/78 and the IBC Code	Not applicable.
	тчог аррпсаотс.
ADN; ADR; DOT BULK; IATA; IMDG; RID	
FLAMMABLE	
3	
Marine pollutant	
Δv \	
/ <b>\</b>	
\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \	
<b>Y</b>	

### 15. REGULATORY INFORMATION:

# US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed.

# SARA 304 Emergency release notification

Not regulated.

# OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

# TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

# **Superfund Amendments and Reauthorization Act of 1986 (SARA) Hazard categories**

Immediate Hazard - No

Delayed Hazard - No

Fire Hazard - Yes

Pressure Hazard - No

Reactivity Hazard – No

# SARA 302 Extremely hazardous substance

Not listed.

## SARA 311/312 Hazardous chemical

Yes

# SARA 313 (TRI reporting)

Not regulated.

## Other federal regulations

# Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

## **Safe Drinking Water Act**

(SDWA)

Not regulated.

## **US** state regulations

**US. Massachusetts RTK - Substance List** 

Not regulated.

# **US. New Jersey Worker and Community Right-to-Know Act** Not listed.

# US. Pennsylvania Worker and Community Right-to-Know Law Not listed.

## US. Rhode Island RTK

Not regulated.

# **US. California Proposition 65**

# US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances(PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

## 16. OTHER INFORMATION:

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

The information in this SDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond M&U's control, it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability for loss, damage, or expense arising out of the products improper use. No warranty expressed or implied regarding the product described herein will be created by or inferred from any statement or omission in the SDS. Various federal, state, or provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in the SDS. The user should review these regulations to ensure full compliance.

Prepared By: M&U International LLC

