

SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION:

PRODUCT CODE

A0418

ISOBUTYL ACETATE

PRODUCT NAME

SUPPLIER

Shanghai M & U International Trade Co., Ltd. Rm 1717, No 598 North NuJiang Road 200333 Shanghai, China +86-21-32515501 32515502 sales@mu-intel.com

FOR EMERGENCIES CALL CHEMTREC:

800-424-9300 (24-HOURS)

2. HAZARD IDENTIFICATION:

Classification of the substance or mixture



GHS02 Flame Flam. Liq. 2 H225 Highly flammable liquid and vapor.

Label elements Harmful in contact with skin or if inhaled.

GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



Signal word Danger

Hazard statements

H225 Highly flammable liquid and vapor.

Precautionary statements

P210:	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P241:	Use explosion-proof electrical/ventilating/lighting/equipment.
P280 :	Wear protective gloves / eye protection / face protection.
P303+P361+P353:	IF ON SKIN (or hair): Remove/Take off immediately all contaminated
	clothing. Rinse skin with water.
P403+P235:	Store in a well-ventilated place. Keep cool.
P501:	Dispose of contents/container in accordance with
	local/regional/national/international regulations

Classification system:



Health = 0Fire = 4Reactivity = 0

HMIS-ratings (scale 0 - 4)

HEALTH 0	Health $= 0$
FIRE 4	Fire $= 4$
REACTIVITY 0	Reactivity

Other hazards Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.

3. COMPOSITION AND INFORMATION ON INGREDIENTS:

= 0

Chemical characterization: Substances CAS No. Description 110-19-0 isobutyl acetate

Identification number(s) EC number: 203-745-1

Index number: 607-026-00-7

4. FIRST-AID GUIDE:

Description of first aid measures

After inhalation:

Supply fresh air; consult doctor in case of complaints.

After skin contact:

Generally the product does not irritate the skin.

After eye contact:

Rinse opened eye for several minutes under running water.

After swallowing:

If symptoms persist consult doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5. FIRE-FIGHTING GUIDE:

Extinguishing media Suitable extinguishing agents: CO2 or extinguishing powder. Fight larger fires with alcohol resistant foam.

For safety reasons unsuitable extinguishing agents:

Water with full jet

Special hazards arising from the substance or mixture No further relevant information available.

Advice for firefighters Protective equipment: No special measures required.

Additional information

Cool endangered receptacles with water spray. Collect contaminated fire fighting water separately. It must not enter the sewage system.

6. ACCIDENTAL RELEASE GUIDE:

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7. H ANDLING AND STORAGE:

Handling:

Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities Storage:

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.

Specific end use(s)

No further relevant information available.

8. EXPOSURE AND PERSONAL PROTECTION:

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:	
110-19-0 isobutyl acetate	
PEL	Long-term value: 700 mg/m ³ , 150 ppm
REL	Long-term value: 700 mg/m ³ , 150 ppm
TLV	Long-term value: 713 mg/m ³ , 150 ppm

Additional information:

The lists that were valid during the creation were used as a basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

9. PHYSICAL AND CHEMICAL PROPERTIES:

Information on basic physical and chemical properties

General Information	
Appearance:	
Form:	Liquid

Color:	Colorless to pale yellow
Odor:	Fruit-like
Odor: Odour threshold:	Not determined.
pH-value at 20 °C (68 °F):	6
Change in condition	0
	00.95.9C(146.9E)
Melting point/Melting range:	-98.85 °C (-146 °F)
Boiling point/Boiling range:	117.2 °C (243 °F)
Flash point:	18 °C (64 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	405 °C (761 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Not determined.
Danger of explosion:	Product is not explosive. However, formation
	of explosive airvapor mixtures are possible.
Explosion limits:	
Lower:	2.4 Vol %
Upper:	10.5 Vol %
Vapor pressure at 20 °C (68 °F):	20 hPa (15 mm Hg)
Density at 20 °C (68 °F):	0.868 g/cm ³ (7.243 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with Water at 20	7 g/l
°C (68 °F):	
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic:	0.96 mPas
Kinematic:	Not determined.
Organic solvents:	100.0 %
VOC content:	100.0 %
	868.0 g/l / 7.24 lb/gl
Other information	No further relevant information available.

10. STABILITY AND REACTIVITY:

Reactivity

Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous reactions

No dangerous reactions known.

Conditions to avoid

No further relevant information available.

Incompatible materials:

No further relevant information available.

Hazardous decomposition products:

No dangerous decomposition products known.

11. TOXICOLOGICAL INFORMATION:

Information on toxicological effects

 Acute toxicity:
 D

 LD/LC50 values that are relevant for classification:

 110-19-0 isobutyl acetate

 Oral
 LD50

 13400 mg/kg (rat)

Primary irritant effect: On the skin: No irritant effect.

On the eye: No irritating effect.

Sensitization: No sensitizing effects known.

Additional toxicological information: Carcinogenic categories ARC (International Agency for Research on Cancer) Substance is not listed.

NTP (National Toxicology Program) Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12. ECOLOGICAL INFORMATION:

Toxicity Aquatic toxicity: No further relevant information available.

Persistence and degradability

No further relevant information available.

Behavior in environmental systems: Bioaccumulative potential

No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information: General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects

No further relevant information available.

13. DISPOSAL RECOMMENDATIONS:

Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

14. TRANSPORTATION INFORMATION:

UN-Number	
DOT, ADR, IMDG, IATA	UN1213
UN proper shipping name	
DOT	Isobutyl acetate
ADR	1213 Isobutyl acetate
IMDG, IAT	ISOBUTYL ACETATE
Transport hazard class(es)	
DOT	

Class Label	3 Flammable liquids 3
ADR Class Label	3 (F1) Flammable liquids 3
IMDG, IATA	3 Flammable liquids
Label	3
De altin a guoun	5
Packing group DOT, ADR, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	33
EMS Number:	F-E,S-D
Transport in bulk according to	Not applicable.
	Not applicable.
Annex II of MAPPOL 73/78 and the IBC Code	
MARPOL73/78 and the IBC Code	
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
ADR	
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
	Maximum net quantity per outer packaging. 500 mi

UN "Model Regulation":	UN1213, Isobutyl acetate, 3, II
------------------------	---------------------------------

15. REGULATORY INFORMATION:

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara Section 355 (extremely hazardous substances): Substance is not listed.

Section 313 (Specific toxic chemical listings): Substance is not listed.

TSCA (Toxic Substances Control Act): Substance is listed.

Proposition 65 Chemicals known to cause cancer: Substance is not listed.

Chemicals known to cause reproductive toxicity for females: Substance is not listed.

Chemicals known to cause reproductive toxicity for males: Substance is not listed.

Chemicals known to cause developmental toxicity: Substance is not listed.

Carcinogenic categories EPA (Environmental Protection Agency) Substance is not listed.

TLV (Threshold Limit Value established by ACGIH) Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.

GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.



Signal word Danger

Hazard statements

H225 Highly flammable liquid and vapor.

Precautionary statements

P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P280	Wear protective gloves / eye protection / face protection.
P303+P361	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.
+P353	Rinse skin with water/shower.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with
	local/regional/national/international regulations.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION:

The information in this SDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond M&U's control, it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability for loss, damage, or expense arising out of the products improper use. No warranty expressed or implied regarding the product described herein will be created by or inferred from any statement or omission in the SDS. Various federal, state, or provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in the SDS. The user should review these regulations to ensure full compliance.

Prepared By: M&U International LLC

REVISED: 02/17/2015