

SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION:

PRODUCT CODE A0423

PRODUCT NAME ISOVALERIC ACID

SUPPLIER Shanghai M & U International Trade Co., Ltd.

Rm 1717, No 598 North NuJiang Road

200333 Shanghai, China +86-21-32515501 32515502

sales@mu-intel.com

FOR EMERGENCIES CALL CHEMTREC: 800-424-9300 (24-HOURS)

2. HAZARD IDENTIFICATION:

Classification of the substance or mixture

This substance is classified according to the Globally Harmonized System (GHS).







GHS06 GHS05 GHS07

Acute Tox. 3 H311 Toxin in contact with skin.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage Acute Tox. 4 H302 Harmful is swallowed. Flam. Liq. 4 H227 Combustible liquid.

Label elements

Harmful in contact with skin or if inhaled.

GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



Signal word

Danger

Hazard-determining components of labeling:

Delphinic acid

Hazard statements

H227 Combustible liquid H302 Harmful if swallowed. H311 Toxic in contact with skin

H314 Causes severe skin burns and eye damage.

Precautionary statements

P210 Keep away from heat/sparks/open flames. No smoking.

P260 Do not breathe dust/fume/gas/mist/vapors.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses if present and easy to do so. Continue rinsing.

P310 Immediately call a poison center/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with

local/regional/national/international regulations.

Classification system:

NFPA ratings (scale 0 - 4)



 $\begin{aligned} & Health = 3 \\ & Fire = 2 \end{aligned}$

Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = 3Fire = 2

REACTIVITY 0

Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT:

Not applicable.

vPvB:

Not applicable.

3. COMPOSITION AND INFORMATION ON INGREDIENTS:

Chemical characterization: Substances

CAS No.: 503-74-2

Description: Delphinic acid

Identification number(s)

EC No.: 207-975-3

4. FIRST-AID GUIDE:

General information:

Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident is advised.

Description of first aid measures

After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with soap and water.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Immediately call a doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5. FIRE-FIGHTING GUIDE:

Extinguishing media

Suitable extinguishing agents:

CO2 or extinguishing powder. Fight larger fires with alcohol resistant foam.

Special hazards arising from the substance or mixture

No further relevant information available.

Advice for firefighters

Protective equipment:

No special measures required.

Additional information

Cool endangered receptacles with water spray.

Collect contaminated firefighting water separately. It must not enter the sewage system.

6. ACCIDENTAL RELEASE GUIDE:

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Mount respiratory protective device.

Environmental precautions:

Do not allow to enter sewers/surface water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7. HANDLING AND STORAGE:

Handling:

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

Information about protection against explosions and fires:

Keep ignition sources away – do not smoke.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Not required.

Further information about storage conditions:

Keep receptacle tightly sealed.

Specific end use(s)

No further relevant information available.

8. EXPOSURE AND PERSONAL PROTECTION:

Additional information about design of technical systems:

No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

Not required.

Additional information:

The lists that were valid during the creation were used as a basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Information on basic physical and chemical properties

information on basic physical and chemical pro	
General Information	
Appearance:	
Form:	Liquid
Color:	According to product specification.
Odor:	According to product specification.
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-29 °C (-20 °F)
Boiling point/Boiling range:	175-177°C (347-351°F)
Flash point:	70°C (158°F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto igniting:	Not determined.
Danger of explosion:	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not determined.
Density at 20 °C (68 °F):	0.928 g/cm³ (7.744 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Organic solvents:	0.0 %
Other information	No further relevant information available.

10. STABILITY AND REACTIVITY:

Reactivity

Chemical stability

Thermal decomposition/conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous reactions

No dangerous reactions known.

Conditions to avoid

No further relevant information available.

Incompatible materials:

No further relevant information available.

Hazardous decomposition products:

No dangerous decomposition products known.

11. TOXICOLOGICAL INFORMATION:

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

CAS: 503-74-2 Delphinic acid Oral LD50 – 2000mg/kg (rat)

 $Dermal\ LD50 - 310\ mg/kg\ (rabbit)$

Primary irritant effect:

On the skin:

No irritating effect.

On the eye:

No irritating effect.

Sensitization:

No sensitizing effects known.

Additional toxicological information:

Carcinogenic categories

IARC (International Agency for Research on Cancer)

Substance is not listed.

NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12. ECOLOGICAL INFORMATION:

Toxicity

Aquatic toxicity:

No further relevant information available.

Persistence and degradability

No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential

No further relevant information available.

Mobility in soil

No further relevant information available.

Additional ecological information:

General notes:

Water hazard class 1: slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment

PBT:

Not applicable.

vPvB:

Not applicable.

Other adverse effects

No further relevant information available.

13. DISPOSAL RECOMMENDATIONS:

Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.

14. TRANSPORTATION INFORMATION:

UN-Number	
DOT, ADR, IMDG, IATA	UN3265
UN proper shipping name	
DOT	Corrosive liquid, acidic, organic, n.o.s.
ADR	3265 Corrosive liquid, acidic, organic, n.o.s.
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, ORGANIC N.O.S.
Transport hazard class(es)	
DOT, ADR, IMDG, IATA	

Class	
A Company of the Comp	F3
	COCCOSING.
	CORNOSIVE
A Transport	· ·
<u>A</u>	8 Corrosive substances
Packing group	
DOT, ADR, IMDG, IATA	II
Environmental hazards:	No
Marine pollutant:	
Special precautions for user:	Warning: corrosive substances
Danger code (kemler):	80
EMS No.:	F-A,S-B
Segregation groups	Acids
Stowage category	В
Stowage code	SW2 Clear of living quarters
Transport in bulk according to Annex	
II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	On passenger aircraft/rail: 5 L
DOT	On cargo aircraft only: 60 L
Quantity limitations	
ADR	
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
IMDG	5L
Limited quantities (LQ)	Code: E1
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC,
	N.O.S. (DELPHINIC ACID), 8, II

15. REGULATORY INFORMATION:

Safety, health and environmental regulations/legislation specific for the substance or mixture

Sara

Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

TSCA (Toxic Substances Control Act):

Substance is not listed.

Proposition 65

Chemicals known to cause cancer:

Substance is not listed.

Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is not listed.

Carcinogenic categories

EPA (Environmental Protection Agency)

Substance is not listed.

TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

GHS label elements

The substance is NOT classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.





GHS05 GHS06

Signal word

Danger

Hazard-determining components of labeling:

Delphinic acid

Hazard statements

H227 Combustible liquid H302 Harmful if swallowed. H311 Toxic in contact with skin H314 Causes severe skin burns and eye damage.

Precautionary statements

P210 Keep away from heat/sparks/open flames. No smoking.

P260 Do not breathe dust/fume/gas/mist/vapors.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses if present and easy to do so. Continue rinsing.

P310 Immediately call a poison center/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with

local/regional/national/international regulations.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION:

The information in this SDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond M&U's control, it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability for loss, damage, or expense arising out of the products improper use. No warranty expressed or implied regarding the product described herein will be created by or inferred from any statement or omission in the SDS. Various federal, state, or provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in the SDS. The user should review these regulations to ensure full compliance.

Prepared By: M&U International LLC REVISED: 07/17/2017