

SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION:

PRODUCT CODE A0454

PRODUCT NAMEBETA PINENE

SUPPLIER Shanghai M & U International Trade Co., Ltd.

Rm 1717, No 598 North NuJiang Road

200333 Shanghai, China +86-21-32515501 32515502

sales@mu-intel.com

FOR EMERGENCIES CALL CHEMTREC: 800-424-9300 (24-HOURS)

2. HAZARD IDENTIFICATION:

Physical hazards

Flammable liquids Category 3

Health hazards

Acute toxicity, oral Category 5
Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 2A
Sensitization, skin Category 1

Specific target organ toxicity,

single exposure Category 3 respiratory tract irritation

Aspiration hazard Category 1

Environmental hazards

Hazardous to the aquatic environment,

acute hazard Category 1

Hazardous to the aquatic environment,

long-term hazard Category 1

Label elements



Signal word

Danger

Hazard statement

H226	Flammable liquid and vapor.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H315 + H320	Causes skin and eye irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary statement

T			
Prev	Δn	tin	m
1101	CII	นบ	ш

P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing mist or vapor.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.

Response	
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P303 + P361 +	
P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water/shower.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 +	
P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P321	Specific treatment (see this label).
P331	Do NOT induce vomiting.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P370 + P378	In case of fire: Use appropriate media to extinguish.
P391	Collect spillage.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with

local/regional/national/international regulations.

Hazard(s) not otherwise Classified (HNOC)

None known.

Supplemental information

None.

3. COMPOSITION AND INFORMATION ON INGREDIENTS:

Substances

Chemical name	Common name and synonyms	CAS number	%
PINENE BETA	laevo- 6, 6- dimethyl- 2- methylene bicyclo (3. 1.	18172-67-3	100
AND THE REAL PROPERTY.	1) heptane		
	(-) - pin- 2 (10) - ene	and the second	
	L- BETA- PINENE		
	(1S, 5S) - 7, 7- dimethyl- 4- methylidenebicyclo		
	[3. 1. 1] heptane		
	Bicyclo [3. 1. 1] heptane, 6, 6- dimethyl- 2-		
	methylene-, (1S)-	9	
	(-) - nopinene		

4. FIRST-AID GUIDE:

Inhalation

If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.

Skin contact

Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes.

Eve contact

Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids.

Ingestion

Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.

Most important symptoms/effects, acute and delayed

Dermatitis. Rash. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.

Indication of immediate medical attention and special treatment needed

Not available.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. FIRE-FIGHTING GUIDE:

Suitable extinguishing media

Water spray, fog, CO2, dry chemical, or alcohol resistant foam.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Fire may produce irritating, corrosive and/or toxic gases.

Special protective equipment and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighter's protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full face piece operated in the positive pressure demand mode when fighting fires.

Fire-fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.

Specific methods

Use water spray to cool unopened containers.

General fire hazards

Static charges generated by emptying package in or near flammable vapor may cause flash fire.

6. ACCIDENTAL RELEASE GUIDE:

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

The product is immiscible with water and will spread on the water surface.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Prevent product from entering drains. Do not allow material to contaminate ground water system. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not contaminate water. Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment.

7. HANDLING AND STORAGE:

Precautions for safe handling

Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.

8. EXPOSURE AND PERSONAL PROTECTION:

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Use explosion-proof ventilation equipment to stay below exposure limits.

Individual protection measures, such as personal protective equipment Eye/face protection

Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection Hand protection

Chemical resistant gloves.

Other

Use of an impervious apron is recommended.

Respiratory protection

Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must be provided.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Annogrance	Refer to Spec Sheet
Appearance	-
Physical state	Liquid.
Form	Liquid.
Color	Refer to Spec Sheet
Odor	Characteristic.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	-77.8 °F (-61 °C)
Initial boiling point and boiling range	329 °F (165 °C)
Flash point	95.0 °F (35.0 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive	
limits	
Flammability limit – lower (%)	Not available.
Flammability limit – upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.39 kPa at 25 °C
	2 mm Hg at 20 °C

Vapor density	4.7
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Flammability class	Flammable IC estimated
Molecular formula	C10H16
Molecular weight	136.24 g/mol
Specific gravity	0.87 at 25 °C

10. STABILITY AND REACTIVITY:

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability

Material is stable under normal conditions.

Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

No hazardous decomposition products if stored and handled as indicated.

11. TOXICOLOGICAL INFORMATION:

Information on likely routes of exposure

Ingestion

May be fatal if swallowed and enters airways. May be harmful if swallowed.

Inhalation

May be fatal if swallowed and enters airways. May cause irritation to the respiratory system.

Skin contact

Causes skin irritation. May cause an allergic skin reaction.

Eye contact

Causes serious eye irritation. Causes mild eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Dermatitis. Rash. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. May cause respiratory irritation.

Information on toxicological effects

Acute toxicity

In high concentrations, vapors are anesthetic and may cause headache, fatigue, dizziness and central nervous system effects. May be fatal if swallowed and enters airways. May cause an allergic skin reaction. May cause respiratory irritation.

Product	Species	Test Results		
PINENE BETA (CAS 18172-6	PINENE BETA (CAS 18172-67-3)			
Acute				
Dermal	The second secon			
LD50	Rabbit	> 5000 mg/kg		
Oral	The second second			
LD50	Rat	4700 mg/kg		

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization Respiratory sensitization

Not available.

Skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity repeated exposure

Not classified.

Aspiration hazard

May be fatal if swallowed and enters airways.

12. ECOLOGICAL INFORMATION:

Ecotoxicity

Very toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

No data available.

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. DISPOSAL RECOMMENDATIONS:

Disposal instructions

Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

Not established.

Waste from residues / unused products

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).


Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

14. TRANSPORTATION INFORMATION:

ADN			
UN number	2319		
UN proper shipping name	TERPENE HYDROCARBONS, N.O.S. (PINENE BETA)		
Transport hazard class(es)	3		
Subsidiary class(es)	-		
Packing group	III		
Environmental hazards	Yes		
Labels required	3		
Special precautions for user	Not available.		
ADR			
UN number	2319		
UN proper shipping name	TERPENE HYDROCARBONS, N.O.S. (PINENE BETA)		
Transport hazard class(es)	3		
Subsidiary class(es)			
Packing group	III		
Environmental hazards	Yes		
Tunnel restriction code	D/E		
Labels required	3		
Special precautions for user	Read safety instructions, SDS and emergency procedures		
	before handling.		
RID			
UN number	2319		
UN proper shipping name	TERPENE HYDROCARBONS, N.O.S. (PINENE BETA)		
Transport hazard class(es)	3		
Subsidiary class(es)	-		
Packing group	III		
Environmental hazards	Yes		
Labels required	3		
Special precautions for user	Not available.		
DOT			
BULK			
UN number	2319		
Proper shipping name	TERPENE HYDROCARBONS, N.O.S. (PINENE BETA)		
Hazard class	3		
Packing group	III		
Environmental hazards			
Marine pollutant	Yes		
Special precautions	Read safety instructions, SDS and emergency procedures		
_	before handling.		

G	D1 ID2 T4 TD1 TD20	
Special provisions	B1, IB3, T4, TP1, TP29	
Packaging exceptions	150	
Packaging non bulk	203	
Packaging bulk	242	
DOT		
NON-BULK		
UN number	2319	
Proper shipping name	TERPENE HYDROCARBONS, N.O.S. (PINENE BETA)	
Hazard class	3	
Packing group	III	
Special precautions	Read safety instructions, SDS and emergency procedures	
1	before handling.	
Special provisions	B1, IB3, T4, TP1, TP29	
Packaging exceptions	150	
Packaging non bulk	203	
Packaging bulk	242	
IATA	2.2	
UN number	2319	
UN proper shipping name	TERPENE HYDROCARBONS, N.O.S. (PINENE BETA)	
Transport hazard class(es)	3	
Subsidiary class(es)	3	
	III	
Packing group		
Environmental hazards	Not available.	
Labels required	3	
ERG code	3L	
Special precautions for user	Read safety instructions, SDS and emergency procedures	
71 CD C	before handling.	
IMDG		
UN number	2319	
UN proper shipping name	TERPENE HYDROCARBONS, N.O.S. (PINENE BETA)	
Transport hazard class(es)	3	
Subsidiary class(es)	-	
Packing group	III	
Environmental hazards		
Marine pollutant	Yes	
Labels required	3	
EmS	F-E, S-D	
Special precautions for use	Read safety instructions, SDS and emergency procedures	
	before handling.	
Transport in bulk according	Not applicable.	
to Annex II of MARPOL		
73/78 and the IBC Code		
75/75 and the IDC Code		



15. REGULATORY INFORMATION:

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910. 1001-1050) Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA) Hazard categories

Immediate Hazard - Yes Delayed Hazard - No

Fire Hazard - Yes

Pressure Hazard - No

Reactivity Hazard – No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical

Yes

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

Safe Drinking Water Act (SDWA)

Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical	Yes
	Substances (AICS)	
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List	No
	(NDSL)	
China	Inventory of Existing Chemical	Yes
	Substances in China (IECSC)	
Europe	European Inventory of Existing	Yes
	Commercial Chemical Substances	
	(EINECS)	

Europe	European List of Notified Chemical	No
	Substances (ELINCS)	
Japan	Inventory of Existing and New	Yes
	Chemical Substances (ENCS)	
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals	Yes
	and Chemical Substances (PICCS)	
United States & Puerto Rico	Toxic Substances Control Act	Yes
	(TSCA) Inventory	

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. OTHER INFORMATION:

HMIS® ratings

Health: 2* Flammability: 3 Physical hazard: 0

The information in this SDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond M&U's control, it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability for loss, damage, or expense arising out of the products improper use. No warranty expressed or implied regarding the product described herein will be created by or inferred from any statement or omission in the SDS. Various federal, state, or provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in the SDS. The user should review these regulations to ensure full compliance.

Prepared By: M&U International LLC REVISED: 02/17/2015